928jc U.S. PTO

### UTILITY PATENT APPLICATION TRANSMITTAL

(for Noncontinuing, Nonprovisional Applications under 37 C.F.R. §1.53(b))

Attorney Docket No. ARC9-2000-0081-US1



Box PATENT APPLICATION
Commissioner of Patents and Trademarks
ATTENTION: Assistant Commissioner
for Patents
Washington, D.C. 20231

Sir:

14

Transmitted herewith for filing under 37 C.F.R. §1.53(b) is the nonprovisional, noncontinuing patent application for:

Title: EFFICIENT RETRIEVAL OF UNIFORM )
RESOURCE LOCATIONS

First Named Inventor or )
Application Identifier: Nimrod MEGIDDO et )
al.

CERTIFICATE OF MAILING BY "EXPRESS MAIL"

"Express Mail" Mailing Label Number

EJ671469544US

Date of Deposit <u>September 11, 2000</u>

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" Service under 37 CFR §1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Charles W. Peterson, Jr.

(Typed or printed name of person mailing)

(Signature of person mailing)

- (X) 16 pages of the specification (including claims) are enclosed.
- (X) 3 sheet(s) of drawings are enclosed. ( ) Formal (X) Informal
- (X) An executed Oath or Declaration and Power of Attorney naming the actual inventors is enclosed.
- ( ) The names of persons believed to be the actual inventors are set forth in the enclosed unexecuted Oath or Declaration and Power of Attorney (§1.41(a) and §1.53(b)).
- (X) An Assignment(s) of the invention to <u>International Business Machines</u> <u>Corporation</u>, and cover sheet are enclosed.
- (X) A check in the amount of \$40.00 to cover the fee for recording the assignment(s) is enclosed.
- ( ) A 37 C.F.R. §3.73(b) Statement is enclosed (where an Assignee seeks to take action in a matter before the Patent Office).
- ( ) An Information Disclosure Statement is enclosed.
  - () A Form PTO-1449 is enclosed.
  - (). \_\_\_\_ References (copies) listed on the Form PTO-1449 are enclosed.
- (X) A Return Receipt Postcard is enclosed (MPEP §503).

( )	Priority of application number / filed on is claimed under 35 U.S.C. §119.
	() A certified copy of the priority document is enclosed.
( )	A MicroFiche Computer Program (Appendix) is enclosed.
( )	A Nucleotide and/or Amino Acid Sequence Submission is enclosed.
	( ) A Computer Readable Copy is enclosed.
	( ) A Paper Copy (Identical to Computer Copy) is enclosed.
	( ) A Statement Verifying Identity of above Copies is enclosed.
(X)	The filing fee is calculated below:
	Fee Calculation For Claims As Filed
	(a) Basic Fee \$ 690.00
	(b) Independent Claims $4 - 3 = 1 \times 78.00 = 78.00$
	(c) Total Claims <u>26</u> - 20 = <u>6</u> x \$ 18.00 = \$ 108.00
	(d) Fee for Multiply Dependent Claims \$260.00 \$
1	Total Filing Fee \$ <u>876.00</u>
( )	A Statement(s) of Status as Small Entity is enclosed, reducing the Filing Fee by half to: \$
(X)	A check in the amount of \$ 876.00 to cover the filing fee is enclosed.
( )	Charge \$ to Deposit Account No. 06-1135.
( )	The payment of the Filing Fee is to be deferred until the Declaration is filed. Do not charge our Deposit Account.
( )	A separate written request under 37 C.F.R. §1.136(a)(3), which is a general authorization to treat any concurrent or future reply requiring a petition for an extension of time under 37 C.F.R. §1.136(a) for its timely submission as incorporating a petition for an extension of time for the appropriate length of time, is enclosed.
(X)	The Commissioner is hereby authorized to charge any additional fees

which may be required in this application under 37 C.F.R. §§1.16-1.17 during its entire pendency, or credit any overpayment, to Deposit Account No. 06-1135. Should no proper payment be enclosed herewith, as

by a check being in the wrong amount, unsigned, post-dated, otherwise improper or informal or even entirely missing, the Commissioner is authorized to charge the unpaid amount to Deposit Account No. 06-1135.

This sheet is filed in triplicate.

- ( ) Also enclosed:
- (X) Address all future communications to Customer Number 22242.



FITCH, EVEN, TABIN & FLANNERY Suite 1600 120 South LaSalle Street Chicago, Illinois 60603-3406

Telephone: (202) 789-4900 Facsimile: (202) 789-8707

(Date)

Charles W. Peterson, Jr.

Registration No. 34,406

Noncontinuing Utility §1.53(b)-3-1299

### EFFICIENT RETRIEVAL OF UNIFORM RESOURCE LOCATORS

### **DESCRIPTION**

### BACKGROUND OF THE INVENTION

### Field of the Invention

5

The present invention generally relates to interconnected computers and more particularly, the present invention relates to formatted data distributed on interconnected computers.

### Background Description

10

Generally what is known as the Internet or World Wide Web (WWW) is a large scale network of globally connected computers. The Internet places an almost limitless amount of information at the fingertips of each connected computer user. The information is located at various globally connected computers, each at what is typically referred to as a "Web Site." Each web site may include multiple accessible web pages linked to each other. Each web page is a data file encoded in HyperText Markup Language (HTML) or a similar browser friendly code. A web page may include one or more Hypertext links or Hyperlinks, each to a Universal or Uniform Resource Locator (URL) that points to a file at an Internet location. The file may be any type of file including but not limited to another HTML document or web page, a word processing

15

document, compressed or uncompressed data or simple text.

10

15

Typical URLs specify the location of individual resources at a particular location or domain, but not necessarily in a compact way. An important feature of most domain names are intuitiveness indicating its origin and making memorization easier.

Organizations may prefer domain names that reflect or are identical with the organization name, e.g., www.judicialwatch.org. A typical URL is a domain name followed by a path and, then with individual file names attached. So, a URL may become long and unwieldy and under some circumstances may be unusable without some form of compression.

These large unwieldy URLs may become troublesome, especially, when large numbers are being handled with limited resources. So, for example, using a wireless web appliance (such as a cellular phone (cell phone) or pager with a built in browser or a personal digital assistant (PDA) connected to the web with a wireless connection) memory, keystrokes and bandwidth may all be at a premium. Clearly, the more larger URLs that are being stored on the wireless web appliance, entered into the appliance's browser and being transmitted between the appliance and its ground station, the more of a problem these large URLs become. This problem is further exacerbated when a URL request from a wireless web appliance results in a display that includes several of these large URLs. Still other circumstances where these large unwieldy URLs may create a nuisance include when the URLs are embedded within some digital contents or in printed bar codes.

20

U.S. Patent No. 5,835,718 to Blewett entitled "URL Rewriting Pseudo Proxy Server" teaches a real-time URL re-mapping method directed to the commercial needs of Internet businesses. Since internet advertisers and services charge for information access, customer interactions HTML based content must be recorded. Blewett teaches a method wherein customers interact with such content through a proxy machine that records the interactions. Thus, the customers' web based requests are directed to a proxy machine

10

15

20

that maps that request to a URL where the desired content is located. However, Blewett does not allow any user to register codes for arbitrary URLs and the method of Blewett hides the true URL to further its goal of tracking requesters.

U.S. Patent No. 5,895,471 to King et al., entitled "Providing a Directory of Frequently Used Hyperlinks on a Remote Server" teaches a directory server that stores directories associated with remote devices. As described in King et al., remote devices include storage, a display and a button and can receive and display hypermedia information based on an identifier, i.e., any state of the art internet browser. The devices also can send identifiers to the directory server, which may add them to the associated directory. A device also may request that the server retrieve previously stored information. Thus, the directory server stores bookmarks for the remote device owner and, merely returns the full URL to any device seeking access to the particular file or document located at the URL.

Further, America On Line (AOL) includes a feature in its service referred to as "keywords." Typically, AOL sells keywords to vendors and then, makes the keywords available for information look up. For example, AOL might sell "travel" as a keyword to a travel agency. So that when an AOL member enters the keyword "travel" in the AOL service, the member is directed to information at the travel agency's site. Normally keywords are short mnemonics that are easy to remember, something much shorter than a URL. This makes keywords easy to distribute, the vendor tells customers the keyword for later retrieval of information. Further, keywords are easily conveyed to an audience in radio or TV broadcasts or in print advertising. However, a human must manually enter keywords.

Accordingly, there is a need for efficient ways of identifying and selecting web based information that do not overload browser resources and seamlessly providing the selected web based information.

### SUMMARY OF THE INVENTION

It is therefore a purpose of the present invention to reduce the size of web browser cached data:

It is another purpose of the invention to reduce web browser load; It is yet another purpose of the invention to reduce internet traffic.

The present invention is a system, method and computer program product for providing links to remotely located information in a network of remotely connected computers. A uniform resource locator (URL) is registered with a server. A shorthand link is associated with the registered URL. The associated shorthand link and URL are logged in a registry database. When a request is received for a shorthand link, the registry database is searched for an associated URL. If the shorthand link is found to be associated with an URL, the URL is fetched, otherwise an error message is returned.

Alternately, all URLs located at a root page may be listed and associated with shorthand keys or links. Associated files and keys are indexed in an index file. The shorthand codes or keys are combined with the root page to form shorthand URLs. Requests are made for the shorthand URLs and the index file is searched for the requested shorthand URL. If the requested shorthand URL is encountered, the corresponding file is returned; otherwise, an error message is returned.

15

10

### BRIEF DESCRIPTION OF THE DRAWINGS

The foregoing and other objects, aspects and advantages will be better understood from the following detailed preferred embodiment description with reference to the drawings, in which:

5

Figure 1 is an example of a distributed system for the preferred embodiments of the invention wherein multiply connected users or clients communicate with a database over a network of remotely connected computers;

Figure 2 shows a flow diagram of the steps in registering URL with the server; Figure 3 shows a flow diagram of the steps in retrieving previously registered URLs from the registry database on the server;

10

Figure 4 is an example of a flow diagram of how shorthand codes are associated in the second preferred embodiment;

Figure 5 shows an example of a flow diagram showing the steps in retrieving a file for a particular URL.

15

# DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS OF THE INVENTION

20

Referring now to the drawings, and more particularly, Figure 1 is an example of a distributed system 100 for the preferred embodiments of the invention wherein multiply connected users or clients 102, 104, 106 communicate with a database 108 over a network 110 of remotely connected computers, such what is known as the Internet or the World Wide Web (www). Figures 2 and 3 represent first embodiment of the present invention wherein an entity, e.g., an on-line shopping service, registers codes with a code server that maintains a shorthand database 108. The registered codes, which correspond Uniform Resource Locators (URLs) for the entity, are mapped in one-to-one fashion to

10

15

20

shorthand codes. When a web browser at one of the remotely connected computers 102, 104, 106 requests access to one of the shorthand codes, the server redirects the web browser to the true URL. As can be seen from the example of Figure 1, the client computers may be, for example, a network computer or thin client 102, a personal computer 104 or, a web enabled cell phone 106 or personal digital assistant (not shown).

Turning to Figures 2 and 3 in this first embodiment, the server functions as a compact code server, maintaining a database 108 of all the URL's that have been associated with a compact code. For example, the original URL, http://www.sontimes.com/output/novak/novak201.html (or something even more cumbersome) may be associated with Qa2yZ. Instead of requesting the original URL, a more compact http://codes.server.com?key=Qa2yZ may be substituted. The code server, upon receiving a request for the more compact shorthand code would initiate an HTTP redirect to the site corresponding to the original URL. Optionally, the server may charge a nominal fee for each redirect, basing the royalty stream for the service provided upon the number of referrals.

Figure 2 shows a flow diagram 120 of the steps in registering URLs with the server according to the preferred embodiment of the present invention. First, in step 122, the server receives a request from a site owner or, from any web user, to register one or more URLs. Then for each URL, in step 124, the server selects an unused key or shorthand code. Preferably, keys are selected to be as short as is practicable, without being exposed to accidental discovery or to correct, automatically, erroneous entries. With this goal, keys are selected to be sufficiently different from each other such that a number of single character changes are necessary to convert one key to another one. Error correction is effected when an erroneous key is entered, but the error is identifiable, i.e., the key is In step 126, the unused key is entered into the registry database 108 as

10

15

20

25

corresponding to one of the URLs. Also, these short keys may be embedded as hyperlinks in web pages, included in e-mail, and stored in devices with limited storage such as a PDA.

Figure 3 shows a flow diagram 130 of the steps in retrieving previously registered URLs from the registry database 108 on the server. First, in step 132, the server receives a shorthand coded request or a key for a corresponding page. Then, in step 134, the server searches the registry database 108 for a URL corresponding to the provided key. In step 136, the server determines whether a corresponding URL is found in the database 108. If the key is not found, e.g, due to an error or from someone entering random sequences of characters, in step 138N, the server returns an error message indicating that the corresponding URL has not been found. Otherwise, in step 138Y, the page corresponding to the key is accessed and forwarded to the requestor.

Figures 4 and 5 represent a second preferred embodiment of the present invention wherein files at a selected website are reorganized by associating each file with a shorthand code corresponding to its path and location. In this second preferred embodiment, each domain is encoded individually. Instead of a code server as in the first preferred embodiment, codes are associated or assigned individually to the URLs at the participating domain. Code assignment may be at the domain owner's request or, alternately, domain owners may run code assignment software themselves, with database 108 being located at the domain server. A client or web site visitor may suggest or request that the domain owner install the shorthand coding on the domain server to enable or facilitate server access. So, for example, for the domain sontimes.com, the file output/novak/novak20.html may be associated, more compactly, with A2gd. The URL http://www.sontimes.com/A2gd would be redirected to the appropriate file. Thus, problems associated with long domain names are dissipated transparently to site visitors

ARC9-2000-0081-US1

10

15

20

because, normally, URLs replace IP addresses anyway, e.g., www.sontimes.com may be equivalent to 72.3.109.110.

So, in Figure 4, which is an example of a flow diagram 140 of how shorthand codes are associated in the second preferred embodiment, in the first step 142, a list is created of all files at the root page. Then, in step 144, shorthand keys are assigned to each identified file. In step 146, an index of files with corresponding keys is created.

Figure 5 shows an example of a flow diagram 150 showing the steps in retrieving a file associated with a particular shorthand URL. First, in step 152, a browser requests access to a shorthand URL. Then, in step 154 the domain server searches the local shorthand database 108 to identify a local file to which the requested shorthand URL corresponds. If no corresponding file is identified, then, in step 156N, an error message is returned indicating that there is no corresponding file. Otherwise, in step 156Y, the file identified as corresponding to the requested key is returned.

It should be noted that in the above examples, the part of the shorthand URLs represented by http://codes.server.com part is the same for all shorthand URLSs. Accordingly, the amount of information that must be stored or transmitted to refer to the original URL is only the shorthand (Qa2yZ) part. Moreover, the codes.server.com example site optionally may reply with a previously cached page directly or, issue an HTTP redirect as described above. Which option is chosen may depend upon whichever option is more appropriate to the bandwidth or latency requirements of the underlying network at the time of the request.

Further, in contrast to AOL keywords, the present invention uses much shorter free form alpha numeric strings that are designed for transmission by machines and not

constrained to an existing English word. Thus, by associating a much larger URL with an arbitrary but much more compact shorthand URL, the present invention realizes optimum compression of storage for keys in the redirection server. In addition, the present invention facilitates servicing competing vendors, since there is no need to favor one vendor over another by assigning one a better (easier to remember) keyword. Moreover, the present invention may be applied to any referral service provider.

While the invention has been described in terms of preferred embodiments, those skilled in the art will recognize that the invention can be practiced with modification within the spirit and scope of the appended claims.

1

2

### **CLAIMS**

### What is claimed is:

1	1.	A method of providing links to remotely located information in a network of		
2	remotely connected computers, said method comprising the steps of:			
3		a) associating a shorthand link to each of a plurality of uniform resource		
4	locato	s (URLs);		
5		b) logging associated shorthand links in a registry database;		
6		c) searching said registry database for a shorthand link associated with an		
7	URL	URL responsive to selection of said shorthand link; and		
8		d) for each found said shorthand link, fetching said associated URL.		
1	2.	A method as in claim 1, wherein the step (a) of associating shorthand links		
2	compi	rises the steps of:		
3		i) requesting registration of a URL;		
4		ii) selecting an unused key; and		
5		iii) pairing said selected key with said URL as a shorthand link.		
1	3.	A method as in claim 2, wherein each key-URL pair is entered in the registry		
2	databa	atabase.		
1	4.	A method as in claim 3, wherein said fetched associated URL is presented to a		

requestor, said requestor having selected said shorthand link.

5.

requestor, said requestor having provided the paired key of the key-URL pair.

A method as in claim 3, wherein said fetched associated URL is presented to a

1	6.	A method as in claim 5, wherein an error message is returned whenever a				
2	requestor provides a key not paired with a URL.					
1	7.	A method as in claim 5, wherein when a provided key not associated with a URL				
2	is identified as corresponding to a key in a key-URL pair, presenting the identified URL					
3	to said requestor.					
1	8.	A method of providing links to remotely located information in a network of				
2	remotely connected computers, said method comprising the steps of:					
3		a) associating a shorthand link to each of a plurality of files at a remotely				
4	connected location;					
5		b) indexing shorthand links and associated files;				
6		c) searching said index for a shorthand link associated with one of said				
7	plurality of files responsive to selection of said shorthand link; and					
8		d) for each shorthand link found, fetching the associated indexed file.				
1	9.	A method as in claim 9, wherein the step (a) of associating shorthand links				
2	compri	ses the steps of:				
3		i) creating a list of files at said remotely connected location; and				

1 10. A method as in claim 9, wherein said fetched file is presented to a requestor, said requestor having selected said shorthand link.

selecting and associating an unused key with each listed file.

1 11. A method as in claim 9, wherein said fetched file is presented to a requestor, said requestor having provided the key associated with the fetched file.

ii)

1	12. A method as in claim 11, wherein an error message is returned whenever a				
2	requestor provides a key not associated with a file.				
1	13. A method as in claim 11, wherein when a key not associated with a file is				
2	identified as corresponding to a key associated with a file, providing the file associated				
3	with the identified key to said requestor.				
1	14. A computer program product for providing links to remotely located information				
2	in a network of remotely connected computers, said computer program product				
3	comprising a computer usable medium having computer readable program code thereon,				
4	said computer readable program code comprising:				
5	computer readable program code means for associating a shorthand link to each of				
6	a plurality of uniform resource locators (URLs);				
7	computer readable program code means for registering associated shorthand links				
8	in a database;				
9	computer readable program code means for searching said database for a				
10	shorthand link associated an URL responsive to selection of said shorthand link; and				
11	computer readable program code means for fetching any found said associated				
12	URL.				
1	15. A computer program product as in claim 14, wherein the computer readable				
2	program code means for associating shorthand links comprises:				
3	computer readable program code means for requesting registration of a URL;				
4	computer readable program code means for selecting an unused key; and				
5	computer readable program code means for pairing said selected key with said				

URL as a shorthand link.

1	16.	16. A computer program product as in claim 15 further comprising:			
2		computer readable program code means for maintaining said database of			
3	regis	registered key-URL pairs.			
		•			
1	17.	A computer program product as in claim 16 further comprising:			
2		computer readable program code means for presenting an URL to a requestor			
3	respo	responsive to said requestor selecting an associated shorthand link.			
1	18.	A computer program product as in claim 16 further comprising:			
2		computer readable program code means for presenting an URL to a requestor			
3	respo	responsive to said requestor providing a corresponding paired key.			
1	19.	A computer program product as in claim 18 further comprising:			
2		computer readable program code means for determining whether a provided key is			
3	a pai	red key; and			
4		computer readable program code means for indicating an error whenever said			
5	provi	provided key is determined not to be a paired key.			
1	20.	A computer program product as in claim 18 further comprising:			
2		computer readable program code means for determining whether a provided key is			
3	a pai	a paired key;			
4		computer readable program code means for determining whether said provided			
5	key c	corresponds to a paired key whenever said provided key is determined not to be a			
6	paire	d key; and			
7		computer readable program code means for presenting an URL paired with said			
8	corre	corresponding identified key.			

1	21.	A computer program product for providing links to remotely located information		
2	in a network of remotely connected computers, said computer program product			
3	comprising a computer usable medium having computer readable program code thereon,			
4		computer readable program code comprising:		
5		computer readable program code means for associating a shorthand link with each		
6	ofaj	plurality of files at a remotely connected location;		
7		computer readable program code means for indexing shorthand links and		
8	assoc	eiated files;		
9		computer readable program code means for searching said index for a shorthand		
10	link a	associated with one of said plurality of files responsive to selection of said link; and		
11		computer readable program code means for fetching an associated indexed file for		
12	each	found said shorthand link.		
1	22.	A computer program product as in claim 21, wherein the computer readable		
2	progr	am code means for associating shorthand links comprises:		
3		computer readable program code means for creating a list of files at said remotely		
4	conne	ected location; and		
5		computer readable program code means for selecting and associating an unused		
6	key w	vith each listed file.		
1	23.	A computer program product as in claim 22, further comprising:		
2		computer readable program code means for receiving an indication of selection of		
3	a shoi	thand key.		
1	24.	A computer program product as in claim 23, wherein an associated key is		

provided to request said file.

1	25.	A computer program product as in claim 24 further comprising:		
2		computer readable program code means for determining whether a provided key is		
3	assoc	iated with an indexed file; and		
4		computer readable program code means for indicating an error whenever a		
5	provided key is determined not to be associated with an indexed file.			
1	26.	A computer program product as in claim 24 further comprising:		
2		computer readable program code means for determining whether a provided key is		
3	assoc	iated with an indexed file;		
4		computer readable program code means for determining whether said provided		
5	key corresponds to a key associated with an indexed file whenever said provided key is			
6	determined not to be associated with an indexed file; and			
7		computer readable program code means for presenting the indexed file associated		
8	with s	aid corresponding identified key.		
		·		

10

15

## EFFICIENT RETRIEVAL OF UNIFORM RESOURCE LOCATORS

### ABSTRACT OF THE INVENTION

A system, method and computer program product for providing links to remotely located information in a network of remotely connected computers. The system may or may not include a server providing an interface between shorthand codes and corresponding original files. If the server is included, a uniform resource locator (URL) is registered with a server. A shorthand link is associate with the registered URL. The associated shorthand link and URL are logged in a registry database. When a request is received for a shorthand link, the registry database is searched for an associated URL. If the shorthand link is found to be associated with an URL, the URL is fetched, otherwise an error message is returned. If the server is not included, all URLs located at a root page may be listed and associated with shorthand keys or links. Associated files and keys are indexed in an index file. The shorthand codes or keys are combined with the root page to form shorthand URLs. Requests are made for the shorthand URLs and the index file is searched for the requested shorthand URL. If the requested shorthand URL is encountered, the corresponding file is returned; otherwise, an error message is returned.





Fig. 1



F19. 3

Create a list of all files under root page R1, i.e, URLs like R1/\*\*\*

2142

Assign short keys (e.g., 1,2,...) to files according to list

146

Create an index of files and keys

140

F14. 4

Request received for the file whose short URL is http://www.EDF.com/GH/K

2/52

A file whose key is K is found?

No

15677 Yes

Return the file at www.EDF.com/GH whose short key is K Return a message:
"No file with key K is known at www.EDF.com/GH"

156A

150

L14.5

### DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

My residence, post office address and citizenship are as stated below next to my name

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

### EFFICIENT RETRIEVAL OF UNIFORM RESOURCE LOCATORS

the specification of which is attached h	ereto unless the follow	ng box is checked <sup>.</sup>	
was filed on as United States Application	Number or PCT Interna	ational Application Number	
and was amended on		(ıf applicable)	
I hereby state that I have reviewed and any amendment referred to above	I understand the conter	nts of the above identified specification, include	ding the claims, as amended by
I acknowledge the duty to disclose info	rmation which is mater	al to patentability as defined in 37 CFR §1 56	6
§365(a) of any PCT International applie	cation which designated any foreign application	d) or §365(b) of any foreign application(s) for d at least one country other than the United S for patent or inventor's certificate, or PCT Inte imed.	States, listed below and have also
Prior Foreign Application(s):		Priori	ty Not Claimed
(Number) (Country	<u>/)</u> (	Day/Month/Year Filed)	
I hereby claim the benefit under 35 US	C §119(e) of any Unite	d States provisional application(s) listed belo	w.
Provisional Application(s):	(Application Number)	(Filing Date)	
designating the United States, listed by prior United States or PCT International	C §120 of any United Selow and, insofar as the all application in the mai all to patentability as de	States application(s), or §365(c) of any PCT I e subject matter of each of the claims of this nner provided by the first paragraph of 35 US fined in 37 CFR §1.56 which became availab	application is not disclosed in the C §112, I acknowledge the duty
(Application Number) (Filing D	Pate) (	Status - patented, pending, abandoned)	
Power of Attorney:			
I hereby appoint the following attorney Trademark Office connected therewith		rosecute this application and to transact all b	usiness in the Patent and
Thomas R. Berthold Khanh Q. Tran Marc D. McSwain		Richard M. Ludwin Alison D. Mortinger Charles W. Peterson, Jr	(#33,010) (#39,306) (#34,406)

Post Office Address: Same

Citizenship:

DECLARATION AND P	711111111111111111111111111111111111111	NEY FOR PATE	
Charles W. Peterson Telephone: (312)577-7000 Fax: (312)577-7007	Su 120	ch, Even, Tabin 8 ite 1600 0 LaSalle Street icago Illinois 6060	
I hereby declare that all statements made herein believed to be true; and further that these statem punishable by fine or imprisonment, or both, under jeopardize the validity of the application or any particular than the property of the p	ents were made with the Section 1001 of Title 18 of Stent issued thereon	knowledge that willful fa the United States Code	alse statements and the like so made are and that such willful false statements may
Full name of sole or first inventor:	Nimrod MEGIDI	DO 8	3/00
Inventor's signature:		Date:	
Residence:	672 Encina Grande Palo Alto, California 94306		
Citizenship:	U.S.	Post Of	fice Address: Same
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	111111111111111111111111111111111111111	
Full name of second joint inventor:  Kevin McCule	Kevin S. MCCU	RLEY	
Inventor's signature: $76.5 - Mc$	Cy	Date <sup>.</sup>	1/7/00
Residence:	6721 Tannahill D San Jose, Califo		
Citizenship:	U.S.		fice Address: Same
Full name of third joint inventor:			
Inventor's signature:		Date:	
Residence:			